

CERTIFICATE OF ANALYSIS

Product Name	Methylsulfonylmethane(MSM)	COA NO	15030501
Grade	20-40 Mesh (crystal)	Batch Size	4000KGS
Batch No.	20150301	Testing Date	2015.03.05
P.O. NO.:	NO	Date of Mfg and Packing	2015.03.01
Package	CARDBOARD	Expiration Date	2017.02.28
Test standard	Q/ANP01-2003	Invoice No	NO
CAS NO	67-71-0	Drum Quantity	160 cardboard

INSPECTION ITEMS	PRODUCT INDEX	INSPECTION RESULT	CONCLUSION
Purity %	≥99.90	99.95	Pass
Content %(DMSO)	≤0.01	None	Pass
Appearance	White, crystalline	White, crystalline	Pass
Odor	Odorless	Odorless	Pass
Melting Point@760mm Hg	108°C +/-1°C	108.90	Pass
Bulk Density g/ml	>0.70	0.73	Pass
Water Content %	≤0.20	0.13	Pass
Heavy Metals (as pb)%	≤0.001	<0.001	Pass
Residue on Ignition %	≤0.10	<0.01	Pass
Coliform (CFU/g)	Negative	Negative	Pass
E. Coli (CFU/g)	Negative	Negative	Pass
Yeast/Mold (CFU/g)	<10	<10	Pass
Salmonella	Negative	Negative	Pass
Standard Acrobic Plate (CFU/g)	<10	<10	Pass
Total Aerobic bacterial count	<1000	<1000	Pass
MESH SIZE	20-40MESH	20-40MESH	Pass